

TECHNICAL DATA SHEET

SafeBOX™ GUARDIAN SERIES

English version
REV1 05/2015



PRODUCT INFORMATION

The Guardian series is suitable for public access areas and when treating or handling children. The unique design allows sharps to be disposed in a secure and user friendly way. The safety system provides a protection from entering the container in any way. The integrated sluice will effectively stop any hands of a child try to access it. Apart from the access system it also works in an aseptic way where you place all objects in the sluice without touching anything. The container will after that open itself to dispose the items and then close. This will eliminate the risk of cross infection. The container has an automatic protection against overfilling. When it has reached the maximum level the sluice no longer works which indicates that the container must be permanently closed.

KEY BENEFITS

- Protected access - Preventing coming in contact with waste
- Fall over protection – no content coming out
- Prevents overfilling – Stops working when full
- Stackable both empty and full
- Tailored to box and pallet size
- Autoclavable
- Ergonomic and visually sealing for both daily use and permanent
- Manufactured in environmentally friendly polymer resins

MAIN CHARACTERISTICS

Available sizes:

4, 6 and 11 litre

Standard colouring:

Yellow

Material:

PP Copolymer

LOGISTICS

	Guardian 4 litre	Guardian 6 litre	Guardian 11 litre
Qty / Box	26	24	20
Qty / Pallet	312	288	240
Box dimension	60x40x70 cm	60x40x70 cm	60x40x70 cm
Pallet dimension	120x80x225 cm	120x80x225 cm	120x80x225 cm
Full pallet weight (excl. pallet)	161 kg	175 kg	187 kg

CAPACITIES, DIMENSIONS AND WEIGHTS

4 litre bin

Weight (g):	232.5
Nominal capacity (litre):	4
Max. capacity 95% of brimful (litre):	3,4
Measurements HxWxD (NET mm):	138x280x190
Min. wall thickness (mm):	2.03
Stacking height (mm):	175

6 litre bin

Weight (g):	324
Nominal capacity (litre):	6
Max. capacity 95% of brimful (litre):	5,1
Measurements HxWxD (NET mm):	202x280x190
Min. wall thickness (mm):	2.03
Stacking height (mm):	240

11 litre bin

Min/Max weight (g):	531.5
Nominal capacity (litre):	11
Max. capacity 95% of brimful (litre):	9.25
Measurements HxWxD (NET mm):	323x280x190
Min. wall thickness (mm):	2.03
Stacking height (mm):	360



Guardian lid

Weight (g):	183
Measurements HxWxD (mm):	50.0x253x165

PRODUCT CERTIFICATES

ISO 23907	World wide
NFX 30-500	French
AS/NZS 4261	Australia/New Zealand
UN / ADR	World wide


ENVIRONMENTAL COMPLIANCE

REACH - Registration, Evaluation, Authorisation and restriction of CHemicals

REACH (EC/1907/2006) is the European Community Regulation on chemicals and their safe use, in force since 2007. REACH is a regulation and therefore directly applicable throughout all EU Member States. It does not require transposition into national laws of Member States.

SafeBOX™ comply with the restrictions laid down in REACH.

ACCESSORIES



OTHER

All data refer to typical single values and may be subject to alterations.
Copyright 2014 © AB Sundplast, Sweden

www.safebox.eu
www.sundplast.com

SafeBOX™ and all logos are registered trademarks of:

AB Sundplast
Divison Life Science
Box 15084
25015 HELSINGBORG
SWEDEN