

## Technical Data Sheet

### SafeBOX™ PRIME SERIES

English version  
REV1 05/2015



## Product information

The Prime series is a very flexible and innovative set of square high quality containers. They are specially designed for a safe working environment at a hospital or health care establishment. Prime are designed with extra wall thickness to prevent penetration. All sizes are stackable both empty and full. They are all equipped with universal needle disconnecter, universal blade disconnecter, QuickFit alternative, Leur lock and slip disconnectors. They are able to be locked both temporarily and permanently. The latter one is indicated by a flap with a lock showing that it is permanently locked. Prime has a visible fill line that indicates when the container is full. All sizes are fully autoclavable and equipped with handles in order to help the transportation. The available sizes are 4 litres, 6 litres, and 11 litres.

## Key Benefits

- UN and ADR approved
- Protected access - Preventing coming in contact with waste
- Stackable both empty and full
- Tailored to pallet size
- Marking for maximum filling level
- Autoclavable
- The lid can be sealed either temporarily or permanently
- Manufactured in environmentally friendly PP

## Main characteristics

Available sizes:

4, 6 and 11 Litre

Standard colouring:

Yellow box and lid

Material:

PP Copolymer

## Logistics

	Prime 4 litre	Prime 6 litre	Prime 11 litre
Qty / Box	40	38	28
Qty / Pallet	480	456	336
Box dimension	60x40x70 cm	60x40x70 cm	60x40x70 cm
Pallet dimension	120x80x225 cm	120x80x225 cm	120x80x225 cm
Total pallet weight	202 kg	231 kg	229 kg

## capacities, dimensions and weights

### 4 litre bin

Min/Max weight (g):	232.5
Nominal capacity (litre):	4
Max. capacity 95% of brimful (litre):	3.4
Measurements HxWxD (NET mm):	138x280x190
Min.wall thickness (mm):	2.03
Tot. height with lid (mm):	145

### 6 litre bin

Min/Max weight (g):	324
Nominal capacity (litre):	6
Max. capacity 95% of brimful (litre):	5.1
Measurements HxWxD (NET mm):	202x280x190
Min.wall thickness (mm):	2.03
Tot. height with lid (mm):	210

### 11 litre bin

Min/Max weight (g):	531.5
Nominal capacity (litre):	11
Max. capacity 95% of brimful (litre):	9.25
Measurements HxWxD (NET mm):	323x280x190
Min.wall thickness (mm):	2.03
Tot. height with lid (mm):	330



**Prime lid**

Weight (g):	127
Measurements HxWxD (mm):	33x258x305

## Product certificates

UN/ADR	World wide
ISO 23907	World wide
NFX 30-500 & NFX 30-505	French
AS/NZS 4261	Australia/New Zealand


## Environmental Compliance

### **REACH - Registration, Evaluation, Authorisation and restriction of CHemicals**

*REACH (EC/1907/2006) is the European Community Regulation on chemicals and their safe use, in force since 2007. REACH is a regulation and therefore directly applicable throughout all EU Member States. It does not require transposition into national laws of Member States.*

SafeBOX™ comply with the restrictions laid down in REACH.

## Accessories



## Other

All data refer to typical single values and may be subject to alterations.  
Copyright 2014 © AB Sundplast, Sweden

[www.safebox.eu](http://www.safebox.eu)  
[www.sundplast.com](http://www.sundplast.com)

SafeBOX™ and all logos are registered trademarks of:

AB Sundplast  
Divison Life Science  
Box 15084  
25015 HELSINGBORG  
SWEDEN