

Technical Data Sheet

SafeBOX™ VITAL SERIES

English version
REV 02/2015



Product information

The Vital series is a very flexible and innovative set of round high quality containers. They are specially designed for a safe working environment at a hospital or health care establishment. Vital are designed with extra wall thickness to prevent penetration. All sizes are stackable both empty and full. They are all equipped with universal needle disconnect, universal blade disconnect, QuickFit alternative, Leur lock and slip disconnectors. They are able to be locked both temporarily and permanently. The latter one is indicated by a flap with a lock showing that it is permanently locked. Vital has a visible fill line that indicates when the container is full. All sizes are fully autoclavable and equipped with handles in order to help the transportation. The available sizes are 0,5 litre, 1,5 litres, 2,2 litres and 3,5 litres.

Key Benefits

- UN and ADR approved
- Stackable
- Marking for maximum filling level
- Autoclavable
- The lid can be sealed either temporarily or permanently
- Manufactured in environmentally friendly PP
- Hypodermic needle remover in the lid
- Designed for wall, table and pipe mounts
- Extra wall thickness to prevent piercing

Main characteristics

Available sizes:	1,5, 2,2 and 3,5 litre
Standard colouring:	Yellow
Material:	PP Copolymer

Logistics

	Vital 1,5 litre	Vital 2,2 litre	Guardian 3,5 litre
Qty / Box	90	70	50
Qty / Pallet	1080	840	600
Box dimension	60x40x70 cm	60x40x70 cm	60x40x70 cm
Pallet dimension	120x80x225 cm	120x80x225 cm	120x80x225 cm
Total pallet weight	184 kg	200 kg	196 kg

capacities, dimensions and weights

1,5 litre bin

Weight (g):	93
Nominal capacity (litre):	1.5
Max. capacity 95% of brimful (litre):	1.42
Measurements HxØD (NET mm):	133.5x143
Min. wall thickness (mm):	1.5
Tot. height with lid (mm):	152

2,2 litre bin

Min/Max weight (g):	124
Nominal capacity (litre):	2
Max. capacity 95% of brimful (litre):	2.08
Measurements HxØD (NET mm):	185.5x143
Min. wall thickness (mm):	1.5
Tot. height with lid (mm):	204

3,5 litre box

Weight (g):	231
Nominal capacity (litre):	3.5
Max. capacity 95% of brimful (litre):	3.32
Measurements HxØD (NET mm):	293x143
Min. wall thickness (mm):	1.5
Tot. height with lid (mm):	314

Vital lid

Weight (g)	50.6
Measurements HxWxD (mm):	31.7x157x330

Product certificates

UN/ADR	World wide
ISO 23907	World wide
NFX 30-500	French
AS/NZS 4261	Australia/New Zealand

Environmental Compliance

REACH - Registration, Evaluation, Authorisation and restriction of CHemicals

REACH (EC/1907/2006) is the European Community Regulation on chemicals and their safe use, in force since 2007. REACH is a regulation and therefore directly applicable throughout all EU Member States. It does not require transposition into national laws of Member States.

SafeBOX™ comply with the restrictions laid down in REACH.

Accessories

		
Small tray 30x15x4 cm	Large tray 35x25x4 cm	
		
Trolley bracket	Wall bracket	Hang bracket
		
Table bracket – Vacuum adaptor	Table bracket – screws or tape	

Other

All data refer to typical single values and may be subject to alterations.
Copyright 2014 © AB Sundplast, Sweden

www.safebox.eu
www.sundplast.com

SafeBOX™ and all logos are registered trademarks of:

AB Sundplast
Divison Life Science
Box 15084
25015 HELSINGBORG
SWEDEN